



U.S. Department of Transportation


National Highway Traffic Safety Administration

### Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.





PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PSU 82

CASE NO. 647 P

TYPE OF ACCIDENT LARGE UTILITY VS PEDESTRIAN WALKING

# A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)

> Vehicle #1 had stopped, eastbound, for a stop sign at an intersection on a 2-way, 2-lane street. A pedestrian, at the northeast corner of the intersection, began to walk rapidly westbound in a crosswalk. Vehicle #1 made a left turn when the front struck the left side of the pedestrian which knocked her to the ground forward of Vehicle #1.

B. PEDESTRIAN PROFILE							
Pedestrian			Treatment/	Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)			
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source
01	71	Female	Hospitalized	LowerT	Skeletal	2	HOODSURFACE

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	<ul> <li>(1) Minor injury</li> <li>(2) Moderate injury</li> <li>(3) Serious injury</li> <li>(4) Severe injury</li> <li>(5) Critical injury</li> <li>(6) Maximum (untreatable)</li> <li>(7) Injured, unknown severity</li> </ul>

		C. VEH	ICLE PROFILI	
	Class		В	Most Severe Damage ased on Vehicle Inspection
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description
01	Utility Station wagon	93/Jeep/Grand Wagoneer	Front	Minor - Smears, scratches

#### DO NOT SANITIZE THIS FORM

U.S. Department of Transportation

**ACCIDENT COLLISION DIAGRAM** 

National Highway Traffic Safety Administration NATIONAL ACCIDENT SAMPI PEDESTRIAN CRASH S SYSTEM A STUDY Indicate PSU No. P North Case Number - Stratum Purb Elge Reference Line DRIVE Leterence P Sidewalk 0 6 6 sidenalt **D** Manebiz Sidewo(k Stop Sign



HS Form 431B (1/95)

**ACCIDENT COLLISION DIAGRAM** U.S. Department of Transportation National Highway Traffic Safety Administration NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM Indicate PSU No. Case Number-Stratum North Deme 8,0 0 Þ

Scale: 1 centimeter = \_

meters



# PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Administration			PEDESTRIAN CRASH DATA STUDY
Primary Sampling Unit Number	_	Case Numb	per-Stratum 6 P7 P
PEDESTRIAN ACCIDENT CO	LLISION DATA COLLECTION	ON <sub>O</sub>	SCALED DIAGRAM
document reference point and reference line relative to physical features	Surface Type	Concrete	north arrow placed on diagram
documentation of all accident induced physical evidence including (if applicable):	Surface Condition	wob .	grade measurements for all applicable roadways
a) vehicle skid marks	Coefficient of Friction Work Graned	.6070 ·	scaled representations of the physical plant including:
b) pedestrian contacts with ground or object	Grade (v/h) Measurement		all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)
c) vehicle/pedestrian point of impact (POI)	a) at impact	1/22	b) all traffic controls (e.g., lights, signs)
d) location of pedestrian separation point from vehicle.	b) between impact an final rest	" <u>122</u>	scaled representations of the vehicle and pedestrian at pre-impact, impact, and final rest based upon either:
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Travel Direction	West !	a) physical evidence, or
documentation of the physical plant including:	Vehicle Travel Direction	Trans	reconstructed accident dynamics
all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)	Number of Travel Lanes	3	
b) all traffic controls (e.g., lights, signs)			
East Come			
Item		stance and Direction om Reference Point	Distance and Direction from Reference Line
1 mol 1	6.		
1001			

	Distance and Direction	Distance and Direction
Item	from Reference Point	from Reference Line
		1

# PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number

2. Case Number - Stratum



#### IDENTIFICATION

3. Number of General Vehicle Forms Submitted

4. Date of Accident (Month, Day, Year)



Time of Accident

Code reported military time of accident.

NOTE: Midnight = 2400 Unknown = 9999

# **SPECIAL STUDIES - INDICATORS**

Check (✓) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

0

7.	✓ SS16	Pedestrian Crash Data Study	1

9.	SS18	0

10.	SS19	0
IV.	3313	•

## NUMBER OF EVENTS

11. Number of Recorded Events in This Accident

0 1

# PEDESTRIAN STUDY CRITERIA

#### Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

### Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS						
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage
12. <u>0</u> <u>1</u>	13. <u>0 1</u>	14. <u>1</u> 2	15.	16. <u>7 2</u>	17. <u>0 0</u>	18. <u>0</u>

# CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

# CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

# CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

# U.S. Department of Transportation

National Highway Traffic Safety

# PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

-

NATIONAL ACCIDENT SAMPLING SYSTEM

dministration		PEDESTRIAN CRASH DATA STUDY
Primary Sampling Unit Number	73	10. Pedestrian's Weight Code actual weight to the nearest
2. Case Number - Stratum	6 P	kilogram. (999) Unknown
3. Pedestrian Number	0 1	kilograms
PEDESTRIAN'S CHARACTE	RISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by (97) 97 years and older (99) Unknown  5. Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st (4) Female - pregnant-2nd trimester (4tf (5) Female - pregnant-3rd trimester (7th (6) Female - pregnant-term unknown (9) Unknown  6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown	-3rd month)	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify): (9) Unknown  12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping (6) Jumping (7) Falling/stumbling or rising (8) Other (specify): (9) Unknown
7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknowninches X 2.54 =centimeters  8. Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknowninches X 2.54 =centimeters  9. Pedestrian's Height - Ground to Shoulder	44.7 083 799 200 ers / 28	13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify): (99) Unknown  14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle
centimeter. (999) Unknowninches X 2.54 = centimet		(2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify):

DEDECTRIANIC AVOIDANCE ACTIONS	
PEDESTRIAN'S AVOIDANCE ACTIONS  15. Pedestrian's First Avoidance Actions (00) No avoidance actions (01) Stopped (02) Accelerated pace (03) Ran away (along vehicle path) (04) Jumped (05) Turned toward vehicle (06) Turned away from vehicle (07) Dove or fell away  Used hand(s) to: (11) Vault corner of vehicle (12) Vault onto vehicle (13) Brace against vehicle (14) Crouched and braced hands against vehicle	18. Pedestrian's Arm Orientation at Initial Impact (01) At sides (02) Folded across chest (03) Hands clasped behind back (04) Hands on hips (05) Hands in pockets  One or both arms: (06) Extended upward (07) Extended to side (08) Extended forward bracing (09) Extended, holding object (briefcase, suitcase, etc.) (10) Holding object (young child, grocery bag, etc.) in arm(s) (11) Holding object (young child, grocery bag, etc.) on shoulder(s) or head
(98) Other (specify):	(98) Other (specify):
(99) Unknown	(99) Unknown  19. Pedestrian's Leg Orientation
DEDECTRIANIC ORIENTATION AT IMPACT	(01) Together
PEDESTRIAN'S ORIENTATION AT IMPACT	(02) Apart-laterally
	at Initial Impact (01) Together (02) Apart-laterally (03) Apart-right leg forward (04) Apart-left leg forward (05) Apart- forward leg unknown (06) Left foot off the ground (07) Right foot off the ground (08) Both feet off the ground (98) Other (specify):
	(05) Apart-forward leg unknown
16. Pedestrian's Head Orientation	(06) Left foot off the ground
at Initial Impact (1) To front	(07) Right foot off the ground
(2) To left	(08) Both feet off the ground
(3) To right	(98) Other (specify):
(4) Up	(99) Unknown
(5) Down	20. Vehicle/Pedestrian's Interaction
(8) Other (specify):(9) Unknown	(01) Carried by vehicle, wrapped position
(9) Offkriowii	(02) Carried by vehicle, slid to windshield
	(03) Carried by vehicle, position unknown
17. Pedestrian's Body (Chest) Orientation	(04) Passed over vehicle top
at Initial Impact	<ul><li>(05) Thrown straight forward</li><li>(06) Thrown forward and left of vehicle</li></ul>
(1) Facing vehicle	(07) Thrown forward and right of vehicle
(2) Facing away (3) Left side to vehicle	(08) Knocked to pavement, forward
(4) Right side to vehicle	(09) Knocked to pavement, left of vehicle
(8) Other (specify):	(10) Knocked to pavement, right of vehicle
(9) Unknown	(11) Knocked to pavement, run over or dragged by vehicle
	(12) Shunted to left (corner impacts only)
	(13) Shunted to right (corner impacts only)
	(14) Bumped or pushed aside
	(15) Snagged, rotated
	(16) Snagged, dragged by vehicle
	(17) Foot or legs run over
	(98) Other (specify): (99) Unknown
	(99) OHAHOWH

OFFICIAL RECORDS		INJURY CONSEQUENCES	
<ul> <li>21. Police Reported Alcohol Presence For Pedestrian</li> <li>(0) No alcohol present</li> <li>(1) Yes alcohol present</li> <li>(7) Not reported</li> <li>(9) Unknown</li> </ul>	10	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown	3
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given  Source:	<del>1</del> 6	(6) Died prior to accident (9) Unknown  26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):  Nonfatal (3) Hospitalization	<u> </u>
<ul> <li>23. Police Reported Other Drug Presence For Pedestrian</li> <li>(0) No other drug(s) present</li> <li>(1) Yes other drug(s) present</li> <li>(7) Not reported</li> <li>(9) Unknown</li> </ul>		(4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify):  (9) Unknown	2
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify):	<b>#</b>	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown	<u> </u>
(9) UIKIOWII		28. Hospital Stay (00) Not Hospitalized Code the number of days (up through that the pedestrian stayed in a hospital (61) 61 days or more (99) Unknown	
		29. Working Days Lost  Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown	17

STOP - VARIABLES 30 THROUGH 37 AF	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured  31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (3) Yes - blood given (4) Yes - blood given (5) Unknown if blood given (6) Not injured (7) Injured, ABGs not measured or reported (8) ABGs reported, HCO3 unknown (97) Injured, details unknown (97) Injured, details unknown (98) Unknown if injured  33. Time to Death  Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day =31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	34. 1st Medically Reported Cause of Death  35. 2nd Medically Reported Cause of Death  Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death  (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify):  (97) Other result (includes fatal ruled disease) (specify):  (99) Unknown  37. Number of Recorded Injuries for This Pedestrian  Code the actual number of injuries recorded for this pedestrian.  (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
ARE ALL APPLICABLE MEDICAL RECORD NO[] UPDATE CANDIDATE?	YES [v]

Administration

U.S. Department of Transportation
National Highway Traffic Safety

# PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

<u> 647</u> <u>P</u>

3. Pedestrian Number

0 1

2. Case Number - Stratum

4. Blank

# **INJURY DATA**

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

of Injury Data       Body Data       Anatomic Page       Level of Injury Severity       A.I.S. Injury Source       Injury Source       Confidence Indirection       Injury Severity       Aspect       Source       Confidence Indirection         1st       5. 7       6. 8       7. 9       8. 9       2. 10. 11. 11. 12. 20. 20. 13. 14. 14. 15. 11. 12. 20. 20. 13. 14. 14. 11. 14. 11. 11. 11. 11. 11. 11					AIS-90					Injury				
2nd $18.7$ $19.8$ $20.5$ $21.24200$ $23.224.225.700$ $26.1$ $27.$ $37.$ $31.$ $32.$ $43.$ $9$ $34.$ $0.$ $4.$ $35.$ $0.$ $2.$ $36.$ $1.$ $37.$ $2.$ $38.$ $7.$ $18.$ $39.$ $1.$ $40.$ $1.$ $44.$ $1.$ $1.$ $1.$ $1.$ $1.$ $1.$ $1.$ $1$		of Injury		Anatomic	Anatomic			Aspect	-	Confidence	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
3rd 31. $\overrightarrow{7}$ 32. $\overrightarrow{7}$ 33. $\overrightarrow{9}$ 34. $\overrightarrow{0}$ $\overrightarrow{7}$ 35. $\overrightarrow{0}$ $\xrightarrow{1}$ 36. $\overrightarrow{1}$ 37. $\xrightarrow{1}$ 38. $\overrightarrow{7}$ $\xrightarrow{1}$ 8 39. $\xrightarrow{1}$ 40. $\xrightarrow{1}$ 4th 44. $\overrightarrow{7}$ 45. $\overrightarrow{7}$ 48. $\xrightarrow{9}$ 47. $\xrightarrow{1}$ 48. $\xrightarrow{0}$ 49. $\xrightarrow{1}$ 50. $\xrightarrow{1}$ 51. $\xrightarrow{9}$ 47. 52. $\xrightarrow{1}$ 53. $\xrightarrow{1}$ 5th 57. $\xrightarrow{7}$ 58. $\xrightarrow{1}$ 59. $\xrightarrow{9}$ 60. $\xrightarrow{0}$ 461. $\xrightarrow{0}$ 62. $\xrightarrow{1}$ 63. $\xrightarrow{7}$ 64. $\xrightarrow{9}$ 47. 65. $\xrightarrow{1}$ 66. $\xrightarrow{1}$ 6th 70. $\xrightarrow{1}$ 71. $\xrightarrow{1}$ 72. $\xrightarrow{1}$ 73. $\xrightarrow{1}$ 74. $\xrightarrow{1}$ 75. $\xrightarrow{1}$ 76. $\xrightarrow{1}$ 77. $\xrightarrow{1}$ 78. $\xrightarrow{1}$ 79. $\xrightarrow{1}$ 7th 83. 84. 85. 86. 86. 87. 88. 89. 99. 90. 91. 91. 92. 8th 96. 97. 98. 99. 100. 101. 102. 103. 104. 105. 9th 109. 110. 111. 112. 113. 114. 115. 116. 116. 117. 118.		5. <u>Z</u>	6. <u>Z</u>	7. 9	8. <u>D</u> 4	9. <u>0 2</u>	10	11. [	12. <u>700</u>	13. 🔼	14.	15	16. <u>Z</u>	17.2
4th 44. 7 45. 7 46. 9 47. 2 4 48. 2 49. / 50. / 51. 9 47 52. / 53. /  5th 57. 7 58. 2 59. 9 60. 2 4 61. 2 2 62. / 63. 7 64. 9 47 65. / 66. /  6th 70. 71. 72. 73. 74. 75. 76. 77. 78. 78. 79.  7th 83. 84. 85. 86. 87. 88. 89. 90. 91. 92.   8th 96. 97. 98. 99. 100. 101. 102. 103. 104. 105.		18.7	19. 8	20.5	21. 24	2200	23. <u>2</u> -	- 24. 2-	- <sub>25.</sub> <u>700</u>	26. <u>/</u>	27	28.	29. <u>2</u> -	30. Z-
5th 57. 7 58. 2 59. 9 60. 0 4 61. 0 2 62. / 63. 7 64. 9 4 7 65. 1 66. 1  6th 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 79. 79. 71. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 8th 96. 97. 98. 99. 100. 101. 102. 103. 104. 105. 9th 109. 110. 111. 112. 113. 114. 115. 116. 117. 118.	- 15. F	31.7	32. <del>Y</del>	33. <u>9</u>	34. <u>0</u> <u>4</u>	35. <u>D )</u>	36. <u>/</u>	37. <u>2</u>	зв. <u>7 / 8</u>	39	40. ↓	41. <u>4</u>	67.5 42.5	) 43. <u>H</u>
6th       70.       71.       72.       73.       74.       75.       76.       77.       78.       79.         7th       83.       84.       85.       86.       87.       88.       89.       90.       91.       92.         8th       96.       97.       98.       99.       100.       101.       102.       103.       104.       105.         9th       109.       110.       111.       112.       113.       114.       115.       116.       117.       118.	PT.	44. 7	45. 2	46. <u>9</u>	47. <u>Q</u> <u>4</u>	48. <u>0</u> <u>2</u>	- 49. <u>/</u>	50. <u>/</u>	51. <u>947</u>	52. <u>【</u>	53. <u>/</u>	54. 🔼	55. <u>Č</u>	56 <u>0</u>
7th 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 8th 96. 97. 98. 99. 100. 101. 102. 103. 104. 105. 9th 109. 110. 111. 112. 113. 114. 115. 116. 117. 118.	r	57. <u>7</u>	58. <u>2</u>	59.9	60. <u>0 4</u>	61. <u>0</u> <u>L</u>	-62. <u>/</u>	63.7	64. <u>9 4 7</u>	<b>65.</b>	66. <u>/</u>	67. <u>'</u>	68. <u>0</u>	69. <u>O</u>
8th 96. 97. 98. 99. 100. 101. 102. 103. 104. 105. 9th 109. 110. 111. 112. 113. 114. 115. 116. 117. 118.		70	71	72	73	74.	75	76	77	78	79	80	81	82
9th 109. 110. 111. 112. 113. 114. 115. 116. 117. 118.		83	84	86	86	87	88	89	90	91	92	93	94	95
		96	97	98	99:	100	101	102	103	104	105	106;	107,	108
		109	110	<b>111</b> .	112.	113	114	115	116	117	118	119	120	121
10th 122. 123. 124. 125. 126. 127. 128. 129. 130. 131	ħ	122	123	124	125	126	127	128	129	130	131	132	133	134

HS Form 04351 (10/95)

This report is authorized by P.L. 89-563, Title 1, Section 106, 108, and 112. While you are not required to respond, your cooperation is needed to make the results of this data collection effort comprehensive, accurate, and timely.

				PEDES	STRIA	ULNI V	RY DAT	Ά				
Source of Injury Data	Body Region	Type of Anatomic Structure	AIS-90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
11th										<del></del>		
12th												
13th												
14th												<u></u>
15th				<del></del> ;								
16th												
17th	<del></del>			<del></del>						·		
18th												
19th												
20th												
21st												
22nd						<u>—</u>						<del></del>
23rd												<del>-</del>
24th												_
25th	<u> </u>				<u></u>			<u> </u>				

#### (3) Dent (2) Hospital/medical records other than (4) Large deformation Cracked, fractured, shattered emergency room (e.g., discharge DIRECT/INDIRECT INJURY (5)summary) Direct contact injury Separated from vehicle (6) Emergency room records only (including Indirect contact injury Noncontact injury associated X-rays or other lab reports) Noncontact injury Other specify: Injured, unknown source Private physician, walk-in or emergency Unknown STRIKING PROFILE DAMAGE DEPTH Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) UNOFFICIAL Injury not from vehicle contact No residual damage (5) Lay coroner report Surface only damage Rounded (contoured) Rounded edge (6) E.M.S. personnel (3) Crush depth > 0 to 2 centimeters Crush depth > 2 to 5 centimeters (4) (7) Interviewee (5) Sharp edge (8) Other source (specify): Other (specify): Crush depth >5 to 10 centimeters (8)(5)181 Other specify: (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region Specific Anatomic Structure** Spine (02) Cervical (04) Thoracic (06) Lumbar Abbreviated Injury Scale Whole Area (02) Skin - Abrasion (04) Skin - Contusion (1) (2) Minor injury Moderate injury Head (2) Face (3) (4) (5) Neck (3) Serious injury Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit numbers beginning with 02 Thorax (06) Skin - Laceration (08) Skin - Avulsion (4) Severe injury Abdomen (5)Critical injury (6) Spine (10) Amputation Maximum (untreatable) **Upper Extremity** (7) (8) (20) Burn (30) Crush Injured, unknown severity Level of Injury Lower Extremity (40) Degloving (50) Injury - NFS (9) Unspecified Aspect injuries assigned are Type of Anatomic Structure consecutive two-digit beginning with 02. (90) Trauma, other than mechanical (1) Right numbers (2) (3) Left Bilateral Whole Area Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness Vessels Central To the extent possible, within the organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity. (3) (4) Nerves (5) (6) Anterior Organs (includes muscles/ (10) Concussion Posterior (7) ligaments) Superior Skeletal (includes joints) (5) (8) Inferior Head - LOC (6) (9) Unknown NFS as to lesion or severity. Whole region **INJURY SOURCE FRONT** Wheels / tires 744 B pillar 790 Left front wheel / tire 700 Front bumper 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify): 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): \_ 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 751 Right side door handle 706 Headlight 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension WINd 755 Right side glazing rearward of B pillar (specify): 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar Back Components 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 762 Hatchback, vertical surface 768 Other back component 726 D pillar (specify): 728 Other pillar 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component **Accessories** 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle Top Components 821 Cellular or CB radio antenna 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar 824 Luggage, ski, or bike rack component 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify):\_ 736 Left side back fender or quarter panel 826 Spare tire 773 Cowl area 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 738 Other left side object 775 Windshield glazing 828 Other accessory (specify):\_ (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground Right Side Components 740 Front fender side surface 948 Other object (specify): 779 Rear header 780 Hatchback 949 Unknown object in environment 741 Front antenna 781 Rear trunk lid 959 Unknown object on contacting vehicle

788 Other top component (specify): \_

789 Unknown top component

INJURY SOURCE CONFIDENCE LEVEL

Certain Probable

Possible

(2)

(3)

TYPE OF DAMAGE

No damage/contact

997 Noncontact injury source

999 Unknown injury source

(0) Injury not from vehicle contact

Scratch (Scuff, Cloth Transfer, Smear)

SOURCE OF INJURY DATA


medical records

(1) Autopsy records with or without hospital/

OFFICIAL

742 A1 pillar

743 A2 pillar



# OFFICIAL INJURY DATA — SKELETAL INJURIES



Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)

Blood Alcohol Level (mg/dl)

BAL =

Glasgow Coma Scale Score

GCSS =

Units of Blood Given


Units = \_\_\_


**Arterial Blood Gases** 

Ph = \_\_\_\_

PCO<sub>2</sub> \_(\_

HCO<sub>3</sub> \_\_\_\_







960

# OFFICIAL INJURY DATA - INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)







J.S. Department of Transportation National Highway Traffic Safety Administration

#### PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

- 1. Primary Sampling Unit Number
- 2. Case Number Stratum

3. Vehicle Number

0 1

# **VEHICLE IDENTIFICATION**

4. Vehicle Model Year Code the last two digits of the model year (99) Unknown

5. Vehicle Make (specify):

Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (99) Unknown

6. Vehicle Model (specify):

Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown

7. Body Type

Note: Applicable codes may be found on the back of this page.

8. Vehicle Identification Number

10 11 12 13 14 15 16 17

Left justify; Slash zeros and letter Z (Ø and Z) No VIN-Code all zeros Unknown—Code all nines

9. Police Reported Travel Speed

Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above (999) Unknown

OFFICIAL RECORDS

\_ \_\_ mph X 1.6093 = \_\_\_ kmph

10. Speed Limit

(000) No statutory limit

Code posted or statutory speed limit in kmph

(999) Unknown

mph X 1.6093

11. Police Reported Alcohol Presence For Driver

- (0) No alcohol present
  - (1) Yes alcohol present
  - (7) Not reported
  - (8) No driver present
  - (9) Unknown

12. Alcohol Test Result For Driver Code actual value (decimal implied

before first digit - 0.xx)

- (95) Test refused
- (96) None given
- (97) AC (Alcohol Content) test performed, results unknown
- (98) No driver present
- (99) Unknown

Source:

13. Police Reported Other Drug Presence For Driver

- (0) No other drug(s) present
- Yes other drug(s) present (1)
- Not reported (7)
- (8) No driver present
- (9) Unknown
- 14. Other Drug Specimen Test Result For Driver
  - (0) No specimen test given
  - (1) Drug not found in specimen
  - (2) Drug found in specimen (specify):\_
  - (3) Specimen test given, results unknown or not obtained
  - No driver present (8)
  - (9) Unknown





# **CODES FOR BODY TYPE**

### CDS APPLICABLE VEHICLES

#### Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

#### Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

#### Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

#### Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

# Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500.)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

### Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

### **OTHER VEHICLES**

#### Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

#### Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit r aight truck (8,850 kgs < GVWR ≤ £2,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

# Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):\_\_\_\_\_
- (89) Unknown motored cycle type

#### Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

Į.	VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15.	Vehicle Curb Weight  Code weight to nearest 10 kilograms.  (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown  H. L.	18. Impact Speed  9.9 Nearest kmph  (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
16.	Vehicle Cargo Weight  Code weight to nearest 10 kilograms.  (000) Less than 5 kilograms (450) 4,500 kilograms or more (999) Unknown  bs X .4536 =kgs	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown  20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
		PRECRASH DATA
17.	Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown  22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning left
	STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	(11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

22. Original Present 5	(00) D. I.I. B. C.
23. Critical Precrash Event	(83) Pedalcyclist or other nonmotorist in roadway
This Vehicle Loss of Control Due To:	(specify):
(01) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
(02) Stalled engine	roadway (specify):
(03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown
(specify):	location (specify):
(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
up) (specify):	(87) Animal in roadway
(05) Poor road conditions (puddle, pot hole, ice, etc.)	(88) Animal approaching roadway
(specify):	(89) Animal—unknown location
(06) Traveling too fast for conditions	(90) Object in roadway
(08) Other cause of control loss (specify):	(91) Object approaching roadway
	(92) Object—unknown location
(09) Unknown cause of control loss	(98) Other critical precrash event (specify):
This Vehicle Traveling	(00)
(10) Over the lane line on left side of travel lane	(99) Unknown
(11) Over the lane line on right side of travel lane	(00) 01111111111
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver
(13) Off the edge of the road on the right side	(00) No driver present
(14) End departure	(01) No avoidance actions
(15) Turning left at intersection	
(16) Turning right at intersection	(02) Braking (no lockup)
	(03) Braking (lockup)
(17) Crossing over (passing through) intersection	(04) Braking (lockup unknown)
(19) Unknown travel direction	(05) Releasing brakes
Other Motor Vehicle In Lane	(06) Steering left
(50) Stopped	(07) Steering right
(51) Traveling in same direction with lower speed	(08) Braking and steering left
(i.e., lower steady speed or decelerating)	(09) Braking and steering right
(52) Traveling in same direction with higher speed	(10) Accelerating
(53) Traveling in opposite direction	(11) Accelerating and steering left
(54) In crossover	(12) Accelerating and steering right
(55) Backing	(98) Other action (specify):
(59) Unknown travel direction of other motor vehicle	(99) Unknown
in lane	
Other Motor Vehicle Encroaching Into Lane	25. Precrash Stability After Avoidance Maneuver
(60) From adjacent lane (same direction) — over left	(0) No driver present
lane line	(1) No avoidance maneuver
(61) From adjacent lane (same direction)—over right	(2) Tracking
lane line	(3) Skidding longitudinally—rotation less than 30
(62) From opposite direction—over left lane line	degrees (4) Skidding laterally—clockwise rotation
(63) From opposite direction—over right lane line	(5) Skidding laterally—counterclockwise rotation
(64) From parking lane	(8) Other vehicle loss-of-control (specify):
(65) From crossing street, turning into same direction	(b) Other Vehicle 1033-01-control (specify).
(66) From crossing street, across path	(9) Precrash stability unknown
(67) From crossing street, turning into opposite	(b) Troordon otability animoviii
direction	26. Precrash Directional Consequences of
(68) From crossing street, intended path not known	Avoidance Maneuver (Corrective Action)
(70) From driveway, turning into same direction	(0) No driver present
(71) From driveway, across path	(1) No avoidance maneuver
(72) From driveway, turning into opposite direction	(2) Vehicle stayed in travel lane where avoidance
(73) From driveway, intended path not known	maneuver was initiated
(74) From entrance to limited access highway	(3) Vehicle stayed on roadway but left travel lane
(78) Encroachment by other vehicle—details	where avoidance maneuver was initiated
unknown	(4) Vehicle stayed on roadway, not known if left
Pedestrian or Pedalcyclist, or Other Nonmotorist	travel lane where avoidance maneuver was
(80) Pedestrian in roadway	initiated
(81) Pedestrian approaching roadway	(5) Vehicle departed roadway
(82) Pedestrian unknown location	(6) Avoidance maneuver initiated off roadway
(02) redestrian—unknown location	(9) Directional consequences unknown

£	ENVIRO	NME	NTAL DATA
27.	Relation to Junction (0) Non-junction (1) Interchange area  Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):	3	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown
28.	(6) Unknown type of non-interchange (9) Unknown if interchange  Trafficway Flow (1) Not physically divided (two way traffic)		34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing)  Regulatory or School Zone Sign (Not RR Crossing)
	<ul> <li>(2) Divided trafficway - median strip without positive barrier</li> <li>(3) Divided trafficway - median strip with positive barrier</li> <li>(4) One way trafficway</li> <li>(9) Unknown</li> </ul>		<ul> <li>(2) Stop sign</li> <li>(3) Yield sign</li> <li>(4) School zone sign</li> <li>(5) Other sign (specify):</li> <li>(6) Unknown sign</li> <li>(7) Warning sign (not RR crossing)</li> </ul>
29.	Number of Travel Lanes (1) One (2) Two (3) Three (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown	1 3	(8) Miscellaneous/other controls including RR controls (specify):  (9) Unknown  35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown
30.	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown	+	36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Daylight
31.	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown		(5) Dusk (9) Unknown  37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet
32.	Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify):	+	<ul> <li>(4) Snow</li> <li>(5) Fog</li> <li>(6) Rain and fog</li> <li>(7) Sleet and fog</li> <li>(8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify):</li> <li>(9) Unknown</li> </ul>

82 - 647 7140F 93 huyo-err FRPFOPOI = 3.4m = 11.21p Low Forhood f=0,60 7740 = R Kn-e For Lote Putille readin = 15.0  $S = Vt + \frac{V^2}{2+g} = 11.2 = V + .026 V^2$ 0.Q26V2 + V - 11.2 = 0 v= = 1 ± 7(1) - (4)(1024)(1,2) = 9.07 fPS = 6.2 mpl = 9.9 KPh

### PEDESTRIAN EXTERIOR VEHICLE FORM

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

2. Case Number - Stratum

3. Vehicle Number

VEHICLE IDENTIFICATION

Model Ye

Vehicle Make (specify): \( \)

Vehicle Model (specify):

# PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

cm

cm

cm

cm

#### **VERTICAL MEASUREMENTS**

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

cm

cm

cm

cm

#### **WRAP DISTANCES**

PEV20 Ground to Forward Hood Opening

PEV21 Ground to Front/Top Transition Point

PEV22 Ground to Rear Hood Opening

PEV23 Ground to Base of Windshield

PEV24 Ground to Top of Windshield

PEV25 Ground to Head Contact

cm


cm

cm cm

cm


cm


# **VEHICLE DAMAGE SKETCH**



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:





NOTES: Sketch all pedestrian contacts, include the size and depth in centimaters. Locate the pedestrian contacts from the intercep (lateral) and the front axies (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the


tire bead, direction of stnations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front exist) from the ground:

PEV06	Hood Material		
PEV08	Hood Length		cm
PEV09	Hood Width-Forward Opening		cm
PEV10	Hood Width-Midway		cm
PEV11	Hood Width-Rear Opening		cm
	VERTICAL MEASUREMENTS		
PEV26	Ground Clearance	-	cm
PEV27	Side Bumper-Bottom Height		cm
PEV28	Side Bumper-Top Height		cm
PEV29	Centerline of Wheel		cm
PEV30	Top of Tire		cm
PEV31	Top of Wheel Well Opening		cm
PEV32	Bottom of A-Pillar at Windshield		cm
PEV33	Top of A-Pillar at Windshield		cm
PEV34	Top of Side View Mirror		cm
	LATERAL MEASUREMENTS		
PEV35	C <sub>L</sub> to A-Pillar at Bottom of Windshield		cm
PEV36	C <sub>L</sub> to A-Pillar at Top of Windshield		cm
PEV37	C <sub>L</sub> to Maximum Side View Mirror Protrusion		cm
	WRAP DISTANCES		
PEV38	Ground to Side/Top Transition		cm
PEV39	Ground to Hood Edge		cm
PEV40	Ground to Centerline of Hood (ORIGIN)		cm
PEV41	Ground to Head Contact		cm

#### ORIGINAL SPECIFICATIONS inches x = 2.54Wheelbase Overall Length inches $\times 2.54$ Maximum Width inches $\times 2.54$ pounds $\times$ .4536 = $\bigcirc$ Curb Weight() Average Track inches x 2.54Front Overhang inches $\times 2.54$ Rear Overhang inches $\times 2.54$ Undeformed End Width inches x 2.54 Engine Size: CYI CC $\times$ .001 CID x . 0164 =**INJURY SOURCE FRONT** Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 791 Right front wheel / tire 745 C pillar 702 Front grille 746 D pillar 792 Left rear wheel / tire 793 Right rear wheel /tire 703 Hood edge and/or trim 748 Other pillar (specify):\_ 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): 705 Hood ornament (spring loaded) 799 Unknown wheel / tire 750 Right side door surface 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front cross member 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension 755 Right side glazing rearward of B pillar 802 Oil pan (specify):\_ 803 Exhaust system pipe 719 Unknown front object 756 Rear antenna 757 Rear fender or quarter panel 804 Transmission 758 Other right side object 805 Drive shaft Left Side Components 720 Front fender side surface (specify): \_ 806 Catalytic converter 721 Front antenna 807 Muffler 759 Unknown right side component 722 A1 pillar 808 Floor pan 723 A2 pillar **Back Components** 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 819 Unknown undercarriage component 728 Other pillar 768 Other back component (specify): (specify): 729 Left side roof rail 769 Unknown back component Accessories 730 Left side door surface 820 Air scoop, deflector 821 Cellular or CB radio antenna 731 Left side door handle Top Components 770 Hood surface 822 Emergency lights or bar 732 Left side mirror fixed housing 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar 824 Luggage, ski, or bike rack component 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify):\_ 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 738 Other left side object 775 Windshield glazing 828 Other accessory (specify): (specify): \_ 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground Right Side Components 948 Other object (specify):\_ 779 Rear header 740 Front fender side surface 780 Hatchback 949 Unknown object in environment 741 Front antenna 781 Rear trunk lid 959 Unknown object on contacting vehicle 742 A1 pillar 788 Other top component (specify): \_ 997 Noncontact injury source 743 A2 pillar 789 Unknown top component 999 Unknown injury source

# **VEHICLE DAMAGE SKETCH**



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: \_\_\_\_\_ c

						RIAN CONTA ET WORKSHI			
	CONTACT ID LAWEL	COMPONENT CONTACTED	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)	SEQUENCE #
	(2)	Bumber	116	90	swiples	Olog	Swill	1 2 3 9	1
_ <	9	bunkar	101	0	Salar Salar	100	aveares)	B : 1 1	ð
<b>\$</b>	7	Bunker	101	15	المح	Ser.	aria /	<b>(</b> ) 3 9	2
3)	Ö	اللبهي	96463	) \6	Snag	914	William)	2 3 8	3
	\	<b>'</b>	81	13	<b>1</b>	October 1990	Color Line House	2 3 9	3
	Ы	400834	58	7	Straig		Streat.	1 2 1 9	4
	X	•	58	7	/	TRA		1 2 3 9	4
	0	1000	27	7	Scarlet	Imbia		7 2 3 9	
	7	Hood	-1	2	^	3,161	cla	1 2 3 9	
	Ш	poog		-18	بولدي	Vonle	Ua handle	<i>y)</i> 2 3 4	
				•	A .		٨	1 2 3 9	
		Sporter-	->1	ides or	A CALL	\ \	حمايو ما	1 Z 3 A	$\mathcal{O}$
			<u> </u>	1 Cense	pwa	MOD ST	Tape Court	1 2 3 9	
			_		<b>,,,,,,</b>	Lower	1:49	1 2 1 8	
		Ŋ	130	夕かる		Lego		1)2 3 9	
								1 2 3 9	
								1 2 3 9	
								1 2 3 9	
								1 2 3 9	
								1 2 3 9	
i								1 2 3 9	
								1 2 3 9	
								1 2 3 8	
								1 2 3 9	
	<u> </u>	I				1	<u> </u>		الـــــــــــا

# POINTS OF PEDESTRIAN CONTACT CHRONOLOGICAL ORDER OF CONTACTS

CONTACT #	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IM CENTIMETERS	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT ( <i>Circle</i> )
1							1 2 3 9
2							1 2 3 9
3							1 2 3 9
4							1 2 3 9
5							1 2 3 9
8							1 2 3 9
7							1 2 3 9
a							1 2 3 9
9							1 2 3 9
10							1 2 3 9
11							1 2 3 9
12							1 2 3 9
13							1 2 3 9
14							1 2 3 9
15							1 2 3 9
16							1 2 3 9
17							1 2 3 9
18							1 2 3 9
19							1 2 3 9
20							1 2 3 9
21							1 2 3 9
22							1 2 3 9
23							1 2 3 9
24							1 2 3 8
25							1° 2' 3 9

VEHICLE DIMENSIONS	11 Hood Width Boor Opening
4 Original Wheelbase 27	11. Hood Width Rear Opening  Code to the
4. Original Wheelbase Code to the	nearest centimeter
nearest centimeter	(210) 210 centimeters or more
(999) Unknown	(999) Unknown
centimeters	inches X 2.54 = centimeters
inches x 2.54 centimeters	
5. Original Average Track Width	12. Hood/Fender Vertical/Lateral Crush From Pedestrian
Code to the	(0) Not damaged
nearest centimeter (185) 185 centimeters or more	(1) Surface scratching only, no residual crush
(1999) Unknown	(2) Minor crush (1-3 centimeters)
(occ, chillion)	(3) Moderate crush (4-7 centimeters)
inches X 2.54 = centimeters	<ul><li>(4) Severe crush (&gt;7 centimeters)</li><li>(8) Damage present, unknown if damage is from</li></ul>
	pedestrian impact
6. Hood Material	(9) Unknown
(1) Plastic	10 Miledeliald Control Domain
(2) Fiberglass	13. Windshield Contact Damage From Pedestrian Contact
(3) Steel	(0) Not contacted by pedestrian
(4) Aluminum (5) Stainless Steel	(1) Contacted by pedestrian - not damaged
(8) Other (specify):	(2) Contacted by pedestrian - damaged
(9) Unknown	(3) Unknown if contacted by pedestrian - not damaged
7.11.10.11.1	(4) Unknown if contacted by pedestrian -
7. Hood Original Equipment Manufacturer (OEM)	damaged
(1) OEM factory installed hood	(9) Unknown if contacted by pedestrian -
(2) OEM replacement	unknown if damaged
(3) Non-OEM replacement	
(9) Unknown	FRONT CONTACT DAMAGE
8. Hood Length	Front Vertical Measurements
Code to the	14. Front Bumper Cover Material
nearest centimeter	(0) No front contact
(180) 180 centimeters or more (999) Unknown	(1) Plastic
(555) Shkhown	
	(2) Fiberglass
inches X 2.54 = centimeter	(3) Rubber
T	(3) Rubber (4) Other (specify):
9. Hood Width Forward Opening	(3) Rubber (4) Other (specify): (9) Unknown
T	(3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material
9. Hood Width Forward Opening Code to the	(3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact
9. Hood Width Forward Opening Code to the nearest centimeter	(3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel
9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	(3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact
9. Hood Width Forward Opening  Code to the nearest centimeter (210) 210 centimeters or more	(3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify):
9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	(3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel
9. Hood Width Forward Opening  Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown  inches X 2.54 = centimeters  10. Hood Width Midway Code to the	(3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown
9. Hood Width Forward Opening  Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown  inches X 2.54 =	(3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify):
9. Hood Width Forward Opening  Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown  inches X 2.54 =centimeters  10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more	(3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height Code to the nearest centimeter
9. Hood Width Forward Opening  Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown  inches X 2.54 =	(3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height  Code to the  nearest centimeter (000) No front contact
9. Hood Width Forward Opening  Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown  inches X 2.54 =centimeters  10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more	(3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height  Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more
9. Hood Width Forward Opening  Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown  inches X 2.54 =	(3) Rubber (4) Other (specify): (9) Unknown  15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown  16. Front Bumper-Bottom Height  Code to the  nearest centimeter (000) No front contact

17.	Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown	23. Ground to Base of Windshield  Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown
18.	Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	24. Ground to Top of Windshield  Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown
19.	Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown	25. Ground To Head Contact  Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown  inches X 2.54 =
	inches X 2.54 = centimeters	SIDE CONTACT DAMAGE
	Front Wrap Distance Measurements	Side Vertical Measurements
20.	Ground to Forward Hood Opening  Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown  inches X 2.54 = centimeters	26. Ground Clearance  Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more
21.	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter  (000) No side contact (150) 150 centimeters or more (999) Unknown

29.	Centerline of Wheel	SOC		Side Lateral Measurem	ents
	Code to the nearest centimeter		25	Contailing to A Billion	066
	(000) No side contact (150) 150 centimeters or more	!	30.	Centerline to A-Pillar at Bottom of Windshield	7-2-2
	(190) 190 centimeters or more (999) Unknown	ļ		(000) No side contact	
		ļ		Code to the nearest centimeter	
	inches X 2.54 =	centimeters	į	(250) 250 centimeters or more	
		700		(999) Unknown	
30.	Top of Tire			inches X 2.54 =	centimeters
	Code to the nearest centimeter	!			
	(000) No side contact	!	26	O secultor en A Billion	700
	(200) 200 centimeters or more	1	30.	Centerline to A-Pillar at Top of Windshield	ソニン
	(999) Unknown	!		Code to the	
	inches X 2.54 =	centimeters		nearest centimeter	
				(000) No side contact (250) 250 centimeters or more	
31.	Top of Wheel Well Opening	100		(999) Unknown	
-	Code to the			inches X 2.54 =	contimator
	nearest centimeter (000) No side contact			IIIClies A 2.34 =	Centimeter
	(250) 250 centimeters or more	•		and a second second second	
	(999) Unknown			View Mirror Protrusion	222
	inches X 2.54 = c	centimeters		Code to the	
		N CO		nearest centimeter	
32.	Bottom of A-Pillar at Windshield	700		(000) No side contact (300) 300 centimeters or more	
	Code to the nearest centimeter			(999) Unknown	
	(000) No side contact			inches X 2.54 =	centimeter
	(250) 250 centimeters or more (999) Unknown				
				Side Wrap Distance Measu	rements
	inches X 2.54 = o	centimeters	***************************************		$\bigcirc$
	E	100	38	Ground to Side/Top Transition	BUU
33.	Top of A-Pillar at Windshield	700	00.	Code to the	<u> </u>
	Code to the nearest centimeter			nearest centimeter	
	(000) No side contact			(000) No side contact (400) 400 centimeters or more	
	(300) 300 centimeters or more (999) Unknown			(999) Unknown	
	(999) Unknown			inches V 2 54 -	contimatore
	inches X 2.54 =	centimeters		inches X 2.54 =	- — centimerers
	(	100			1900
34.	Top of Side View Mirror	100	39.	Ground to Hood Edge Code to the	700
	Code to the			nearest centimeter	
	nearest centimeter (000) No side contact			(000) No side contact (500) 500 centimeters or more	
	(300) 300 centimeters or more			(999) Unknown	
	(999) Unknown				
	inches X 2.54 =	centimeters		inches X 2.54 =	centimeters

40. Ground to Centerline of Hood  Code to the nearest centimeter (000) No side contact (700) 700 centimeters or more (999) Unknown	
41. Ground to Head Contact  Code to the nearest centimeter  (000) No side contact (800) 800 centimeters or more (998) No head contact (999) Unknown	
inches X 2.54 = centimeters	



82647P00000011 958.0500000000000113130100001 95 95 996 96 95 95 95000000000 000000000000000 01 82647P00010012 958.051000000000112F72000 82647P00010021 8.05 000000007121574508312806112013001306030809600332039702 9010000000005 82647P00010131 8.05 00000000078904021170011122 82647P00010231 8.05 00000000078524002270011122 82647P00010331 8.05 00000000074904021271811454 82647P00010431 8.05 00000000077904021194711000 82647P00010531 8.05 00000000072904021794711000 8.05 0000000009302431161J4GZ88Y2PC 99904809600202000001 82647P01000041 01111015011131211122212 82647P01000051 8.05 000000002769993109814214615010330510670940809710620120 

PSU82 CASE 647P

0000000000000

CURRENT VERSION: 8.05

PEDESTRIAN STUDY

/96

	IUMBER OF OLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	0	O	0	Y
Pedestrian Assessment	O	O	0	Υ
Pedestrian Injury	0	0	0	Υ
Pedestrian General Vehicle	0	0	0	Υ
Pedestrian Exterior Vehicl	e O	О	O	Υ
Total Inter Errors		0	0	
Total Case Errors	O	0	o	